

Baby CPR Question Paper

1. What is the rate of compressions on an baby?

- a) 100
- b) 90
- c) 80
- d) 70

2. What is the correct depth of compression for a baby?

- a) 3-4cm
- b) One third
- c) 4-5cm
- d) 5-6cm

3. What is the correct ratio of breaths to compressions while performing CPR on a baby?

- a) 1:15
- b) 2:5
- c) 2:15
- d) 1:5

4. Do you perform 2 person CPR on a baby?

- a) Yes
- b) No

5. What is the correct method of obtaining an airway on a baby?

- a) Head tilt, check mouth, chin lift
- b) Head tilt
- c) Head tilt, chin lift
- d) Head tilt, chin lift, check mouth

6. To check response on a baby casualty do you?
- a) Shake shoulders and ask “Can you hear me open your eyes?”
 - b) Ask loudly “Are you OK?”
 - c) Gently shake shoulders and ask loudly “Are you all right?”
 - d) Gently shake shoulders and pinch the ear
7. To check for signs of circulation on a baby casualty do you do you?
- a) Feel for a pulse in the wrist
 - b) Feel for a pulse in the neck
 - c) Look, listen and feel for normal breathing, coughing or movement
 - d) All of the above

8. How do you perform chest compressions on a baby?

- a) One arm
- b) Two arms
- c) Two fingers

9. How often do you check for signs of circulation while performing rescue breathing on a baby that is not breathing with signs of circulation?

- a) After about every 90 seconds
- b) After about every 60 seconds
- c) After about every 45 seconds
- d) After about every 30 seconds

10. How do you perform rescue breathing on a baby?

- a) Mouth to mouth
- b) Mouth to nose
- c) Mouth to mouth and nose

